

## WABO ELASTOPATCH, PART A

Version 1.4

06/30/2006

### 1. PRODUCT AND COMPANY INFORMATION

Company : **Watson Bowman Acme Corporation**  
95 Pineview Drive  
Amherst, NY 14228

Telephone : 716-691-7566

Emergency telephone number : (800) 424-9300  
(703) 527-3887 (Outside Continental US)

Product name : WABO ELASTOPATCH, PART A

MSDS ID No. : 10562

TSCA Inventory : All components of this product are included, or are exempt from inclusion, in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Canadian DSL : All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List (DSL).

Product Use Description : Mortar

### 2. HAZARDOUS INGREDIENTS

<u>Chemical</u>	<u>CAS No.</u>	<u>TLV</u>	<u>STEL</u>	<u>PEL</u>	<u>CEIL</u>	<u>Weight %</u>
POLYISOCYANATE BASED ON MDI	Unknown		N.E.	N.E.	N.E.	30.00 - 60.00 %
METHYLENE BISPHENYL DIISOCYANATE	101-68-8	0.005 ppm	N.E.	N.E.	0.02 ppm	15.00 - 40.00 %
DIPHENYLMETHANE DIISOCYANATE	26447-40-5	N.E.	N.E.	N.E.	N.E.	10.00 - 30.00 %

### 3. HAZARDS IDENTIFICATION

HMIS<sup>®</sup> Rating : HEALTH 2 FLAMMABILITY 1 PHYSICAL HAZARD 1

WHMIS Class : D2A

Primary Routes of Entry : Ingestion  
Eye contact  
Skin contact

#### Effects of Overexposure

Inhalation : Can cause severe respiratory irritation.

Skin : May cause skin irritation and/or dermatitis. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Eyes : Can cause moderate to severe irritation, redness, tearing and blurred vision.

## WABO ELASTOPATCH, PART A

Version 1.4

06/30/2006

- Ingestion : Irritating to mouth, throat and stomach. Intake can cause gastrointestinal irritation, nausea, and vomiting.
- Chronic exposure : This product contains isocyanates. Prolonged repeated exposure to isocyanates can lead to skin sensitization. For persons so sensitized even brief exposures to an isocyanate can produce reddening, swelling, rash, or blisters. Similarly, prolonged and repeated exposure to isocyanates can lead to respiratory sensitization. In such individuals, brief exposures to isocyanates at levels well below established exposure limits can produce chemical asthma and nonspecific asthmatic conditions.

### Carcinogenicity

	ACGIH	IARC	NTP	OSHA
POLYISOCYANATE BASED ON MDI	N.E.	N.E.	N.E.	N.E.
METHYLENE BISPHENYL DIISOCYANATE	N.E.	No data.	N.E.	N.E.
DIPHENYLMETHANE DIISOCYANATE	N.E.	N.E.	N.E.	N.E.

## 4. FIRST AID MEASURES

- Eye contact : Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.
- Skin contact : Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.
- Ingestion : Do not induce vomiting without medical advice. If conscious, drink plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician. If a person vomits, place him/her in the recovery position. Never give anything by mouth to an unconscious person.
- Inhalation : Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek immediate medical attention.

## 5. FIRE-FIGHTING MEASURES

- Flash point : 369.9 °F (187.7 °C) Method: Pensky-Martens C.C.
- Autoignition temperature : no data available
- Lower explosion limit : no data available
- Upper explosion limit : no data available
- Suitable extinguishing media : dry chemical  
carbon dioxide (CO<sub>2</sub>)  
foam  
water fog
- Fire and Explosion Hazards : Fire may produce irritating or poisonous fumes. Containers can build up pressure if exposed to heat (fire). Cool closed containers exposed to fire with water spray.
- Special Fire-fighting Procedures : As in any fire, wear pressure demand self-contained breathing apparatus (NIOSH approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## WABO ELASTOPATCH, PART A

Version 1.4

06/30/2006

Methods for cleaning up : Wear appropriate protective equipment (refer to section 8). Take action to eliminate source of leak; prevent from entry into open streams or sewers; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

---

### 7. HANDLING AND STORAGE

---

Handling : Keep out of reach of children. For personal protection see section 8.

Storage : Store in a place accessible by authorized persons only. Store in cool, dry place. Keep tightly closed.

---

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Eye protection : Wear as appropriate:  
safety glasses with side-shields  
goggles  
face-shield

Hand protection : Wear as appropriate:  
impervious gloves

Body Protection : Wear as appropriate:  
impervious clothing  
preventive skin protection

Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use NIOSH approved respirators.

Hygienic Practices : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

Engineering Controls : Local exhaust ventilation can be necessary to control any air contaminants to within their TLVs during the use of this product.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Color : yellow

Physical State : liquid

Odor : slight aromatic

pH : not applicable

Odor Threshold : no data available

Vapor Pressure :  $< 1 \times 10^{-5}$  mm/Hg at 77 °F (25 °C)

Vapor Density : 8.5 (Air = 1)

## WABO ELASTOPATCH, PART A

Version 1.4

06/30/2006

Boiling point/range	:	no data available
Freeze Point	:	no data available
Water solubility	:	Reacts slowly with water to liberate CO <sub>2</sub> gas
Specific Gravity	:	1.21
Viscosity	:	no data available
Evaporation rate	:	no data available
Partition coefficient (n-octanol/water)	:	no data available
VOC Concentration as applied (less water and exempt solvents)	:	0 g/l Note: VOC concentration expressed as applied when all components are mixed and applied per manufacturer's instructions.

## 10. STABILITY AND REACTIVITY

Stability	:	Stable under recommended storage conditions.
Conditions to avoid	:	Prolonged exposure to high temperatures
Materials to avoid	:	Water Alcohols amines strong bases
Hazardous decomposition products	:	Oxides of carbon nitrogen oxides (NO <sub>x</sub> ) traces of HCN MDI vapors
Hazardous polymerization	:	Can occur: contact with moisture or other material that will react with isocyanates, or temperatures above 400 F (204 C), may cause polymerization.

## 11. TOXICOLOGICAL INFORMATION

### Acute inhalation toxicity

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>	<u>Exposure time</u>
	LC50	no data available		
<u>Component</u>				
POLYISOCYANATE BASED ON MDI	LC50	no data available		
METHYLENE BISPHENYL DIISOCYANATE	LC50	no data available		
DIPHENYLMETHANE DIISOCYANATE	LC50	no data available		

### Acute oral toxicity

<u>Type</u>	<u>Value</u>	<u>Species</u>
-------------	--------------	----------------

**WABO ELASTOPATCH, PART A**

Version 1.4

06/30/2006

Product LD50 (Oral) no data available

Component

POLYISOCYANATE BASED ON MDI	LD50 (Oral)	
METHYLENE BISPHENYL DIISOCYANATE	LD50 (Oral)	9,200 mg/kg
DIPHENYLMETHANE DIISOCYANATE	LD50 (Oral)	no data available

**Acute dermal toxicity**

	<u>Type</u>	<u>Value</u>	<u>Species</u>
--	-------------	--------------	----------------

Product LD50 (Dermal) no data available

Component

POLYISOCYANATE BASED ON MDI	LD50 (Dermal)	no data available
METHYLENE BISPHENYL DIISOCYANATE	LD50 (Dermal)	no data available
DIPHENYLMETHANE DIISOCYANATE	LD50 (Dermal)	no data available

**12. ECOLOGICAL INFORMATION**

Ecotoxicological Information : There is no data available for this product.

**13. DISPOSAL CONSIDERATIONS**

Recommendations: Use excess product in an alternate beneficial application. Handle disposal of waste material in manner which complies with local, state, province and federal regulation.

**14. TRANSPORT INFORMATION**

DOT	: Proper shipping name	Not regulated
IATA	: Proper shipping name	Not regulated

**15. REGULATORY INFORMATION**

**SARA 311/312 (RTK)**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE (ACUTE) HEALTH HAZARD DELAYED (CHRONIC) HEALTH HAZARD

**SARA 313**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

<u>Weight %</u>	<u>CAS No.</u>	<u>Chemical Name</u>
-----------------	----------------	----------------------

## WABO ELASTOPATCH, PART A

Version 1.4

06/30/2006

15.00 - 40.00 %    101-68-8    METHYLENE BISPHENYL DIISOCYANATE

### CERCLA

CERCLA section 103(a) specifically requires the person in charge of a vessel or facility to report immediately to the National Response Center (NRC) a release of a hazardous substance whose amount equals or exceeds the assigned RQ. The following hazardous substances are contained in this product.

<u>RQ</u>	<u>CAS No.</u>	<u>Chemical Name</u>
5,000 lbs	101-68-8	METHYLENE BISPHENYL DIISOCYANATE

### TSCA Section 12(b) Export Notification

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

<u>CAS No.</u>	<u>Chemical Name</u>
----------------	----------------------

There are no TSCA 12(b) Chemicals in this product.

### California Proposition 65

The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm. Unless otherwise specified in Section 2 of this MSDS, these chemicals are present at < 0.1%:

<u>CAS No.</u>	<u>Chemical Name</u>
----------------	----------------------

There are no Proposition 65 chemicals known to exist in this product.

---

## 16. OTHER INFORMATION

---

Legend : N.E. - Not Established  
TLV - Threshold Limit Value  
STEL - Short Term Exposure Limit  
PEL - Permissible Exposure Limit  
CEIL - Ceiling

Prepared By : Environment, Health and Safety Department

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the manufacturer's knowledge, or is obtained from sources believed by the manufacturer to be accurate and is not intended to be all inclusive. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. The manufacturer assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the manufacturer assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

End of MSDS.